


















MC70/75/75A Accessories

Cradles	
	<p>Single Slot Serial/USB Charge Cradle CRD7X00-1000RR</p> <p>Provides serial and USB communication between the MC70/MC75 and a host computer. The cradle also charges the mobile computer battery and a spare battery. Size (WxDxH): 8.13 cm x 10.92 cm x 5.84 cm (3.2 in. x 4.3 in. x 2.3 in.) Weight: 196 g (6.9 oz)</p>
	<p>Single Slot Serial/USB Cradle Kit CRD7X00-100RR</p> <p>Includes cradle (CRD7X00-1000RR), power supply (KT-14000-148R) and AC line cord (23844-00-00R).</p>
	<p>Single Slot Serial/USB Cradle Kit CRD7X00-101RR</p> <p>Includes cradle (CRD7X00-1000RR) and power supply (KT-14000-148R).</p>
	<p>Four Slot Ethernet Cradle CRD7000-4000ER</p> <p>Provides communication via Ethernet between the MC70/MC75 and a host PC. The cradle also charges the mobile computer battery. Size (WxDxH): 46.36 cm x 11.13 cm x 13.72 cm (18.25 in. x 4.38 in. x 5.4 in.) Weight: 1079 g (2.38 lb)</p>
	<p>Four Slot Ethernet Cradle Kit CRD7000-410ER</p> <p>Includes cradle (CRD7000-4000ER), power supply (50-14000-241R), DC cable (50-16002-029R) and US AC line cord 7.5 feet (23844-00-00R).</p>
	<p>Four Slot Ethernet Cradle Kit CRD7000-411ER</p> <p>Includes cradle (CRD7000-4000ER), power supply (50-14000-241R) and DC cable (50-16002-029R).</p>
	<p>Four Slot Ethernet Cradle Kit CRD7000-402ER</p> <p>Includes cradle (CRD7000-4000ER), power supply (50-14000-241R), DC cable (50-16002-029R) and 3-foot 3-wire AC line cord (50-16000-678R).</p>
	<p>Four Slot Charge Only Cradle CRD7X00-4000CR</p> <p>Charges up to four MC70/MC75 terminals simultaneously. Size (WxDxH): 46.78 cm x 11.00 cm x 13.70 cm (18.42 in. x 4.33 in. x 5.39 in.) Weight: 1079 g (2.38 lb)</p>











MC70/75/75A Accessories (continued)

Cradles (continued)	
	<p>Four Slot Charge Only Cradle Kit CRD7X00-400CR</p> <p>Includes cradle (CRD7X00-4000CR), power supply (50-14000-241R), DC cable (50-16002-029R) and US AC line cord (23844-00-00R).</p>
	<p>Four Slot Charge Only Cradle Kit CRD7X00-401CR</p> <p>Includes cradle (CRD7X00-4000CR), power supply (50-14000-241R) and DC cable (50-16002-029R).</p>
Charging	
	<p>Four Slot Battery Charger SAC7X00-4000CR</p> <p>Charges spare standard and high capacity batteries. Includes shim for MC70/MC75. Requires power supply (KT-14000-148R) and country specific 3 wire AC line cord. Size (WxDxH): 15.50 cm x 21.00 cm x 3.47 cm (6.10 in. x 8.27 in. x 1.37 in.) Weight: 386 g (13.6 oz)</p>
	<p>Four Slot Battery Charger Kit SAC7X00-400CR</p> <p>Charges spare standard and high capacity batteries. Includes shim for MC70/MC75, power supply (KT-14000-148R) and AC line cord (23844-00-00R).</p>
	<p>Four Slot Battery Charger Kit SAC7X00-401CR</p> <p>Charges spare standard and high capacity batteries. Includes shim for MC70/MC75 and power supply (KT-14000-148R).</p>
	<p>Vehicle Cradle VCD7X00-P000R</p> <p>Provides secure mounting of the MC70/MC75 in a vehicle. Charges the MC70/MC75 and a spare battery. Provides a serial port for data communication between the MC70/MC75 and an external device. Includes DC power cord. Size (WxDxH): 11.00 cm x 9.50 cm x 20.50 cm (4.33 in. x 3.74 in. x 8.07 in.) Weight: 567 g (20 oz)</p>
	<p>Power Supply 50-14000-249R</p> <p>100 - 240 VAC input, 5.4 VDC 3 A output.</p>
	<p>Power Supply KT-14000-148R</p> <p>100 - 240 VAC input, 12 VDC 3.33 A output.</p>











MC70/75/75A Accessories (continued)

Charging (continued)	
	<p>Power Supply 50-14000-241R</p> <p>90 – 264 VAC input, 12 VDC 9 A output.</p>
	<p>DC Line Cord 50-16002-029R</p> <p>Provides power from the power supply to the four slot cradle.</p>
	<p>US AC Line Cord 23844-00-00R</p> <p>3-wire cable 7.5 feet long.</p>
	<p>US AC Line Cord 50-16000-182R</p> <p>2-wire cable 6 feet long.</p>
	<p>Auto Charge Cable 25-70979-02R</p> <p>Plugs into a vehicle cigarette lighter to charge the MC70/MC75 while on the road.</p>
	<p>Battery BTRY-MC7XEAB00</p> <p>3600 mAh replacement battery.</p>
	<p>Battery BTRY-MC7XEAB0H</p> <p>4800 mAh replacement battery.</p>
	<p>Battery BTRY-MC70EAB02</p> <p>3800 mAh replacement battery. MC70 only.</p>
<p>No Photo Available</p>	<p>Battery BTRY-MC7XEAB00-10</p> <p>3600 mAh replacement battery (10-pack). MC70 only.</p>
<p>No Photo Available</p>	<p>Battery BTRY-MC7XEAB00-50</p> <p>3600 mAh replacement battery (50-pack). MC70 only.</p>








MC70/75/75A Accessories (continued)

Charging (continued)	
	<p>Battery BTRY-MC7XEAB0E</p> <p>1950 mAh replacement battery. MC70 only.</p>
	<p>Battery BTRY-MC7XEAB0E-10</p> <p>1950 mAh replacement battery (10-pack). MC70 only.</p>
	<p>Battery Door Kit KT-105878-01R</p> <p>Includes battery door and hand strap for 3600 mAh battery.</p>
	<p>Battery Door Kit KT-105879-01R</p> <p>Includes battery door and hand strap for 4800 mAh battery.</p>
	<p>Battery Kit BTRY-KT-1R5X-MC7XR</p> <p>Includes 3600 mAh battery, battery door and handstrap.</p>
	<p>Battery Kit BTRY-KT-1X-MC70R</p> <p>Includes 1900 mAh battery, battery door and handstrap. MC70 only.</p>
	<p>Battery Kit BTRY-KT-2X-MC70R</p> <p>Includes 3800 mAh battery, battery door and handstrap. MC70 only.</p>
	<p>Battery Door Kit KT-79428-01R</p> <p>Includes battery door and hand strap for 1900 mAh battery. MC70 only.</p>
	<p>Battery Door Kit KT-79429-01R</p> <p>Includes battery door and hand strap for 3800 mAh battery. MC70 only.</p>
	<p>Battery Kit BTRY-KT-2R5X-MC7XR</p> <p>Includes 4800 mAh battery, battery door and handstrap.</p>








MC70/75/75A Accessories (continued)

Cables	
	<p>Serial Charging Cable 25-102776-02R</p> <p>Provides power to the MC70/MC75 and serial communication with a host computer.</p>
	<p>USB Charging Cable 25-102775-02R</p> <p>Provides power to the MC70/MC75 and USB communication with a host computer.</p>
	<p>Charge Only Cable 25-95214-03R</p> <p>Provides power to the MC70/MC75. Requires power supply (50-14000-249R) and 2 wire AC line cord.</p>
	<p>DEX Cable 25-76793-02R</p> <p>Enables the transmission of data between the MC70/MC75 and a customer's inventory system at the time of delivery.</p>
	<p>Modem Inverter Cable 25-70924-03R</p> <p>Connects the MC70/MC75 to the modem dongle (MDM9000-100R).</p>
	<p>Serial Cable 25-63852-01R</p> <p>Provides serial communication with a host computer.</p>
	<p>USB Cable 25-68596-01R</p> <p>Provides USB communication with a host computer.</p>
	<p>Printer Cable 25-91515-02R</p> <p>Connects the MC70/MC75 to a Zebra QL printer.</p>
	<p>Printer Cable 25-91518-02R</p> <p>Connects the MC70/MC75 to a Zebra Road Warrior printer.</p>
	<p>Printer Cable 25-91519-01R</p> <p>Connects the MC70/MC75 to a O'Neil MF2T printer.</p>








MC70/75/75A Accessories (continued)

Soft goods	
	<p>Rigid Holster SG-MC7011110-02R</p> <p>Hard plastic holder with belt clip.</p>
	<p>Fabric Holster SG-MC7521215-01R</p> <p>Soft holster.</p>
	<p>Fabric Holster SG-MC7521216-01R</p> <p>Soft holster for mobile computer with biometric snap-on..</p>
	<p>Fabric Holster 11-77967-01R</p> <p>Soft material holder with belt clip.</p>
Snap-on	
	<p>Magnetic Stripe Reader MSR7000-100R</p> <p>Captures data from magnetic stripe cards. Swipe Speed: 127 to 1270 mm/sec (5 to 50 in./sec), Bi-Directional Size (WxDxH): 8.38 cm x 7.87 cm x 3.56 cm (3.3 in. x 3.1 in. x 1.4 in.) Weight: 48 g (1.7 oz)</p>
	<p>High ESD Resistant Magnetic Stripe Reader MSR7000-120R</p> <p>Captures data from magnetic stripe cards. Swipe Speed: 127 to 1270 mm/sec (5 to 50 in./sec), Bi-Directional Size (WxDxH): 8.38 cm x 7.87 cm x 3.56 cm (3.3 in. x 3.1 in. x 1.4 in.) Weight: 48 g (1.7 oz)</p>
	<p>Debit Card Reader DCR7X00-100R</p> <p>Debt card reader for debit and credit card transactions. Size (WxDxH): 8.38 cm x 7.87 cm x 3.56 cm (3.3 in. x 3.1 in. x 1.4 in.) Weight: 48 g (1.7 oz)</p>
No Photo Available	<p>Debit Card Reader DCR7X00-200R</p> <p>Debt card reader/Smart card reader used for chip & PIN transactions. Size (WxDxH): 8.38 cm x 7.87 cm x 3.56 cm (3.3 in. x 3.1 in. x 1.4 in.) Weight: 48 g (1.7 oz)</p>

MC70/75/75A Accessories (continued)

Snap-on (Continued)	
	<p>Biometric Attachment MC7XFPR-01R</p> <p>Biometric snap-on reader with fingerprint reader only.</p>
No Photo Available	<p>Biometric Attachment MC7XFPSCR-01R</p> <p>Biometric snap-on with fingerprint reader and smart card reader.</p>
No Photo Available	<p>DCRMC7X Programmer's Cable 25-116536-01R</p> <p>Use for uploading security keys onto the DCR7X00 Debt Card Reader.</p>
	<p>Trigger Handle 21-70982-02R</p> <p>For use with MC70 and MC75.</p>
	<p>Modem Kit KT-76270-01R</p> <p>Includes modem dongle (MDM9000-100R) and modem inverter cable (25-70924-03R).</p>
	<p>Modem Dongle MDM9000-100R</p> <p>Provides modem connectivity to the MC70/MC75 through the terminal or the single slot cradle.</p>
No Photo Available	<p>Modem Adapter Cable 25-63856-01R</p> <p>Connects modem to Single Slot Cradle.</p>
Miscellaneous	
	<p>Wall Mount Cradle Bracket 8710-050006-01R</p> <p>Use for mounting four-slot cradles onto a wall.</p>
	<p>MC70/MC75 Battery Shims KT-76490-01R</p> <p>Required when changing MC70/MC75 batteries in the Four Slot Battery Charger (5-pack).</p>
	<p>Screen Protector KT-67525-01R</p> <p>Adds an additional level of protection for the MC70/MC75 screen to protect against scratches. Package of 3.</p>

MC70/75/75A Accessories (continued)

Miscellaneous (continued)	
	<p>Glossy Screen Protector KT-129195-03R</p> <p>Adds an additional level of protection for the MC70/MC75 screen to protect against scratches. Package of 3.</p>
	<p>Stylus STYLUS-00002-03R</p> <p>Replacement spring loaded stylus with tether (3-pack).</p>
	<p>Headset 50-11300-050R</p> <p>Wired plug-in headset for superior and convenient use.</p>
	<p>Replacement Cleat 21-126676-01R</p> <p>Cleat for use with MC75/75A and Trigger Handle.</p>
<p>No Photo Available</p>	<p>Pistol Grip Cleat 21-91535-01R</p> <p>Mounts on the MC70 for use with the Trigger handle. MC70 only.</p>
	<p>Trigger Handle Spacer Kit KT-97119-07R</p> <p>Spacer for Trigger handle when place in a cradle (4-pack). MC70 only.</p>
<p>No Photo Available</p>	<p>Tether 11-42722-03R</p> <p>(3-pack).</p>
<p>No Photo Available</p>	<p>Tether 11-42722-50R</p> <p>(50-pack).</p>
	<p>USB ESD Adapter KT-88330-03R</p> <p>USB ESD adapter (3-pack).</p>
	<p>USB ESD Adapter KT-88330-10R</p> <p>USB ESD adapter (10-pack).</p>