

FPW

FPW SERIES PALLET-WEIGHERS



Low profile, easy to move, pallet-weighing scale. Suitable for industrial and commercial applications, in which it's necessary to quickly weigh goods on a pallet. The standard version is provided with approved load cells.

Working in cooperation with:




The best solution
for advanced industrial
applications

TECHNICAL FEATURES

- Functioning with 4 shear-beam 350Ohm nickel-plated steel load cells, approved according to OIML R60 C3 standards (3000 divisions), IP67 protection degree.
- Moulded sheet-steel structure, oven-fire painted RAL 5007 blue.
- Adjustable, shock-proof jointed feet, level, 2 wheels and handles for moving it.
- 5/15 Vdc power supply.
- Shielded about 3m long cable for connection to the indicator.
- Upon request:
 - platform calibration service with weight indicator;
 - 3000e CE-M approval, to be combined always to the calibration service;
 - support column for indicator.

DETAIL 1



Dimensions in mm

VERSIONS

Versioni disponibili

Codice	Max (kg)	d (g)	M (g)*
FPW15	1500	500	500
FPW30	3000	1000	1000

(*) Divisioni CE-M ottenibili solo con le relative opzioni, in abbinamento ai nostri indicatori.



“YOUR WORLDWIDE PARTNER FOR WEIGHING,”

DINI ARGEO
FRANCE sarl
Nogent-sur-Marne

DINI ARGEO
GMBH
Sinsheim - Germany

DINI ARGEO
UK Ltd
Taunton - United Kingdom

DINI ARGEO WEIGHING
INSTRUMENTS Ltd
Shanghai - China

DINI ARGEO
WEIGHBRIDGES
Calto (RO) – Italy



HEAD OFFICE
Via Della Fisica, 20
41042 Spezzano di Fiorano Modena - Italy

